Total

Unemployment rate

----- POPULATION ESTIMATES ------ Long-Term Care ------ Local Health Departments -----

| | - POPULATIO | | | | _ | 3 | Local Healt | ın Deparu | |
|----------|---------------|------------|------------------|---|--------------|--------------|----------------------------------|------------|---------------|
| Total 2 | 000 Popula | tion | 93,760 | Community Opti | | | | | Per 10,000 |
| Popula | tion per s | muare mile | 169 | MA Waiver Prog | grams | | Staffing - FTE | Number | |
| Count | y ranking | in state (| 1-72) 14 | | Clients | Costs | Total staff | 18 | 1.9 |
| | 7 - 3121-2119 | | _ ,_, | COP | 61 | \$92,746 | Total staff Administrative | 1 | 0.1 |
| Age | Female | Male | Total | MA Waiver * | | | l ne | 1 1 | 1 0 |
| 0-14 | 9,160 | 9,540 | 18,690 | MA Walver * CIP1A CIP1B CIP2 COP-W CSLA | 4 | \$154,957 | Technical/Paraprof Support staff | . 3 | 0.3 |
| 15-19 | 4,020 | 4,140 | 8,160 | CIP1B | 42 | \$703,519 | Support staff | 3 | 0.3 |
| 20-24 | 4,200 | 4,530 | 8,740 | CIP2 | 3 | \$58,207 | | | |
| 25-29 | 2,560 | 2,720 | 5,280 | COP-W | 75 | \$307,428 | Funding Total | | Per capita |
| 30-34 | 2,900 | 3,030 | 5,930 | CSLA | • | \$0 | Total | \$22 | \$0.00 |
| 35-39 | 3,680 | 3,630 | 7,310 | Brain Injury | • | \$0 | Local Taxes | | |
| 40-44 | 3,570 | 3,760 | 7,330 | Total COP/Wvrs | 3 134 | \$1,316,858 | | | |
| 45-54 | 6,020 | 6,260 | 12,290 | | | | Licensed Es | stablishme | ents |
| 55-64 | 4,090 | 4,030 | 8,110 | | | waiver costs | | | |
| 65-74 | 3,200 | 2,840 | 6,050 | were paid as | | | Type Bed & Breakfast | Capacity | Facilities |
| 75-84 | 2,480 | 1,680 | 4,160 | using COP fur | nds. This | amount is | Bed & Breakfast | 118 | 27 |
| 85+ | 1,250 | 480 | | not included | in above Co | OP costs. | Camps Hotels, Motels | 1,405 | 16 |
| Total | 47,130 | 46,630 | 93,760 | | | | Hotels, Motels | 3,856 | 79 |
| | | | | * Waiver cost | s reported | here | Tourist Rooming | 65 | 24 |
| Age | Female | Male | Total | include fede | eral funding | g. | Pools | | 77 |
| 0-17 | 11,070 | 11,590 | 22,650 | | | | Restaurants | | 477 |
| 18-44 | 19,020 | 19,760 | 38,790 | | Clients | costs | Vending | | 4 |
| 45-64 | 10,110 | 10,290 | 20,400 | Eligible and | | | | | |
| 65+ | 6,930 | 5,000 | 11,930 | Waiting | 156 | n/a | | | |
| Total | 47,130 | 46,630 | 93,760 | | | | | | |
| | | | | (Family Care r | not provided | d in county) | | ticipants | |
| Poverty | Estimates | | | | | | | | |
| | | timate | | | | | | | Number |
| All a | .ges | 5,535 | 1,291 | Note: Eligible | e and waiti | ng clients | Pregnant/Postpartur | m | 740 |
| | | 6.6% | (2%) | will be phas Waivers as a | sed into the | e COP and MA | Infants | | 772 |
| Ages | 0-17 | 1,910 | (2%) 501 | Waivers as a | available. | | Children, age 1-4 | | 931 |
| | | 9.3% | (2%) | | | | Total | | 2,443 |
| | Emp | lovment | | | | | Cancer | Incidence | |
| | | | d | Home Health Ag | rencies | 1 | | | |
| | loyment co | | | Patients | | 72 | | | 1999 |
| | sed on pla | | | Patients per | 10,000 pop | | Primary Site | | |
| | 1 | | Annual | | , | - | Breast | | 68 |
| Labor Fo | rce Estima | tes | | Nursing Homes | | 8 | Cervical | | 14 |
| | | | | Licensed heds | | 729 | Colorectal | | 50 |
| Civilia | n Labor Fo | rce | 51,965 | | | 86.8% | Trachea, Bronchus, | Lung | 62 |
| Numbe | r employed | - | 51,965 50,558 | Occupancy rat Residents on | Dec.31 | 613 | Prostate | - J | 60 |
| Numbe | r unemployed | ed | 1,407 | Residents age | e 65 or old | er | Other sites | | 190 |
| TIDOM | | | 2 7 7 0. | 1 000 | | | | | 111 |

per 1,000 population

2.7%

| TOTAL LIVE BIRTHS | | 1,102 | Birth (| Order | Births | Percent | Marital | Status | | |
|---|--|----------------------------------|---------------------------|---------------------------------|--------------------------------|----------------------------------|----------------------|--------------------------|--------------------|--------------|
| | | | First | | 436 | 40 | of Moth | er | Births | Percent |
| Crude Live Birth Rate | | 11.8 | Second | f | 371 | 34 | Marrie | ed | 845 | 77 |
| General Fertility Rate | е | 52.7 | Third | | 187 | 17 | Not ma | rried | 257 | 23 |
| - | | | Fourtl | n or higher | 108 | 10 | Unknow | m | 0 | 0 |
| Live births with repo | rted | | Unknov | | 0 | 0 | | | | |
| congenital anomalies | | 26 2.4% | | | | | Educati | .on | | |
| | | | First 1 | Prenatal | | | of Moth | er | Births | Percent |
| Delivery Type | Births | Percent | Visit | | Births | Percent | | tary or less | | 5 |
| Vaginal after | | | 1st. t: | rimester | 895 | 81 | | igh school | | 11 |
| previous cesarean | 38 | 3 | | rimester | 164 | 15 | | chool | 373 | 34 |
| Forceps | 20 | | | rimester | 34 | | | ollege | | 24 |
| Other vaginal | 824 | _ | No vi | | 6 | 1 | Collec | e graduate | | 26 |
| Primary cesarean | 133 | 12 | Unkno | | 3 | | Unknow | | 3 | |
| Repeat cesarean | 87 | 8 | OIIXIIO | WII | 3 | \. .5 | Olivilow | 11 | 3 | \. .5 |
| | 0 | | Number | of Prenatal | | | Smokino | Status | | |
| Ocher of ankhown | U | O | | | | Percent | of Moth | | Births | Percent |
| Birthweight | Rirthe | Percent | No vi | | 6 | 1 | Smoker | | 185 | 17 |
| <1,500 gm | 11 | | 1-4 | | 37 | 3 | Nonsmo | | 915 | 83 |
| 1,500-2,499 gm | | 4.3 | 5-9 | | 215 | 20 | Unknow | | 2: | <.5 |
| 2,500+ gm | 1,044 | | 10-12 | | 496 | 45 | Ulikilow | 11 | 4 | <.5 |
| | | 94.7 | 13+ | | 344 | 45 31 | | | | |
| Unknown | U | U | 13+ Unknov | | 344 4 | 31 <.5 | | | | |
| | | | | | | · | | | | |
| | | | Low Birtl | nweight ,500 gm) | 1st Tr | | | st Prenatal | | Unknown |
| Race of Mother | Births P | Percent | Births | | | | | Percent | | |
| White | 1,082 | | 57 | | 881 | 81 | 158 | 15 | 43 | 4 |
| Black | 8 | | 57 | 5.5 | 5 | 63 | 3 | 38 | 43 | - |
| Other | 12 | | 1 | 8.3 | _ | 75 | _ | 25 | • | • |
| Unknown | 0 | 0 | 1 | 0.3 | 9 | , 5 | 3 | 23 | • | • |
| UIIKIIOWII | | | · | · | · | · | <u>·</u> | · | <u>:</u> | · |
| | | | Low Birtl | nweight | | Trimest | er of Fir | st Prenatal | Visit | |
| | F€ | ertility | (under 2 | ,500 gm) | 1st Tr | imester | 2nd Tr | imester | Other/ | Unknown |
| Age of Mother | Births | Rate | Births 1 | Percent | Births | Percent | Births | Percent | Births | Percent |
| | 1 | | * | • | * | • | * | • | * | • |
| <15 | | | _ | | 16 | 55 | 6 | 21 | 7 | 24 |
| <15 15-17 | 29 | 15 | 1 | 3.4 | Τ0 | 55 | | | | _ |
| | _ | 15 33 | 1 5 | 3.4 7.1 | 41 | | 23 | | 6 | 9 |
| 15-17 | 29 | | _ | | | | 23 55 | 33 | | - |
| 15-17 18-19 | 29 70 | 33 | 5 | 7.1 | 41 | 59 | | 33 23 | 6 | 5 |
| 15-17 18-19 20-24 25-29 | 29 70 241 350 | 33 57 137 | 5 10 13 | 7.1 4.1 3.7 | 41 175 299 | 59 73 85 | 55 46 | 33 23 13 | 6 11 5 | 5 1 |
| 15-17 18-19 20-24 25-29 30-34 | 29 70 241 350 255 | 33 57 137 88 | 5 10 13 16 | 7.1 4.1 3.7 6.3 | 41 175 299 226 | 59 73 85 89 | 55 46 17 | 33 23 13 7 | 6 11 5 12 | 5 1 5 |
| 15-17 18-19 20-24 25-29 30-34 35-39 | 29 70 241 350 255 133 | 33 57 137 88 36 | 5 10 13 16 11 | 7.1 4.1 3.7 6.3 8.3 | 41 175 299 226 119 | 59 73 85 89 89 | 55 46 17 12 | 33 23 13 7 9 | 6 11 5 | 5 1 |
| 15-17 18-19 20-24 25-29 30-34 35-39 40+ | 29 70 241 350 255 133 23 | 33 57 137 88 36 6 | 5 10 13 16 | 7.1 4.1 3.7 6.3 | 41 175 299 226 | 59 73 85 89 89 78 | 55 46 17 | 33 23 13 7 | 6 11 5 12 | 5 1 5 |
| 15-17 18-19 20-24 25-29 30-34 35-39 | 29 70 241 350 255 133 | 33 57 137 88 36 | 5 10 13 16 11 | 7.1 4.1 3.7 6.3 8.3 | 41 175 299 226 119 | 59 73 85 89 89 | 55 46 17 12 | 33 23 13 7 9 | 6 11 5 12 | 5 1 5 |

PAGE 3 2000 PROFILE FOR WALWORTH COUNTY Note: Death rates (except infant) are per 100,000 population. Infant, REPORTED* CASES OF SELECTED DISEASES Disease Number TOTAL DEATHS 826 Selected Campylobacter Enteritis Crude Death Rate 881 Giardiasis 10 Hepatitis Type A <5 Hepatitis Type B** <5 Deaths Hepatitis NANB/C 23 1-4 Legionnaire's <5 5-14 Lvme <5 15-19 *** Measles 20-34 15 66 Meningitis, Aseptic Ω 35-54 245 62 Meningitis, Bacterial Ω 55-64 764 *** Mumps 65-74 136 2,250 * * * Pertussis 75-84 245 5,882 Salmonellosis 15 85+ 289 16,763 Shigellosis 6 Tuberculosis <5 Infant 2000 provisional data Mortality Deaths Rate ** Includes all positive HBsAg Total Infant test results Neonatal 3 *** Unavailable at time of printing Postneonatal Unknown 79

| Sexually Tra | ansmitted | Disease |
|--------------|-----------|---------|
| Chlamydia | Trachomat | is |

| Chlamydia Trachomatis | 79 |
|-----------------------|----|
| Genital Herpes | 16 |
| Gonorrhea | 8 |
| Syphilis | <5 |

----- IMMUNIZATIONS -----

Children in Grades K-12 by Compliance Level

| Compliant | 15,527 |
|-------------------|--------|
| Non-compliant | 136 |
| Percent Compliant | 99.1 |

neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.

| Race of Mother | | |
|----------------|---|--|
| White | 6 | |
| Black | | |
| Other | | |
| Unknown | | |
| | | |

| Birthweight | | |
|----------------|-----|--|
| <1,500 gm | 1 | |
| 1,500-2,499 gm | . 1 | |
| 2,500+ gm | 4 | |
| Unknown | • | |

| Perinatal | | |
|-----------------|--------|------|
| Mortality | Deaths | Rate |
| Total Perinatal | 9 | |
| Neonatal | 3 | |
| Fetal | 6 | |

| Underlying Cause | Deaths | Rate |
|-------------------------|--------|------|
| Heart Disease (total) | 255 | 272 |
| Ischemic heart disease | e 168 | 179 |
| Cancer (total) | 186 | 198 |
| Trachea/Bronchus/Lung | 49 | 52 |
| Colorectal | 12 | |
| Female Breast | 16 | . * |
| Cerebrovascular Disease | e 53 | 57 |
| Lower Resp. Disease | 59 | 63 |
| Pneumonia & Influenza | 21 | 22 |
| Accidents | 25 | 27 |
| Motor vehicle | 12 | |
| Diabetes | 19 | |
| Infectious & Parasitic | 14 | |
| Suicide | 7 | |

* Rate for female breast cancer based on female population.

ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

| Alcohol | 15 | |
|----------------|----|--|
| Other Drugs | 9 | |
| Both Mentioned | 2 | |

----- MOTOR VEHICLE CRASHES -----

Note: These data are based on location of crash, not on residence.

| Type of Motor Vehicle Crash | Persons Injured | |
|--------------------------------|--------------------|---|
| Total Crashes | 895 | 7 |
| Alcohol-Related | 144 | 1 |
| With Citation: | | |
| For OWI | 96 | 0 |
| For Speeding | 51 | 0 |
| Motorcyclist | 40 | 1 |
| Bicyclist | 8 | 0 |
| Pedestrian | 19 | 1 |

------ HOSPITALIZATIONS ------

| DISEASE / AGE GROUP | Number | Per 1,000 Pop | Average Stay (Days) | Average | Charge Per Capita | DISEASE / AGE GROUP | Number | Per 1,000 Pop | Average Stay (Days) | Average | Charge Per Capita |
|------------------------|--------|---------------------|---------------------------|----------|--------------------------|--|-----------|---------------------|---------------------------|----------|-------------------------|
| Injury-Related | d: All | | | | | Alcohol-Relate | ed | | | | |
| Total | 806 | 8.6 | 4.9 | \$15,073 | \$130 | Total | 222 | 2.4 | 2.9 | \$3,989 | \$9 |
| <18 | 86 | 3.8 | | \$11,000 | \$42 | 18-44 | 135 | 3.5 | 2.7 | \$3,143 | \$11 |
| 18-44 | 202 | 5.2 | | \$13,550 | \$71 | 45-64 | 62 | 3.0 | | \$5,019 | \$15 |
| 45-64 | 137 | 6.7 | | \$13,828 | \$93 | Pneumonia and | | | | 4-7 | 4 |
| 65+ | 381 | 31.9 | | \$17,247 | \$551 | Total | 321 | 3.4 | 5.3 | \$9,505 | \$33 |
| Injury: Hip | | 32.,, | 0.0 | 7-// | 7001 | <18 | 20 | 0.9 | 3.1 | | \$5 |
| Total | 113 | 1.2 | 7.3 | \$21,286 | \$26 | 45-64 | 54 | 2.6 | 4.4 | | \$25 |
| 65+ | 107 | 9.0 | | \$21,390 | \$192 | 65+ | 212 | 17.8 | | | \$180 |
| Injury: Pois | | ٥.0 | , . 2 | QZ1,300 | Q I J Z | Cerebrovascula | | 17.0 | 0.0 | Q10,130 | Q100 |
| Total | 73 | 0.8 | 1.8 | \$4,355 | \$3 | Total | 275 | 2.9 | 4 9 | \$14,135 | \$41 |
| 18-44 | 44 | 1.1 | | \$3,898 | \$4 | 45-64 | 49 | 2.4 | | \$17,321 | \$42 |
| 10 11 | | 1.1 | 1.5 | φ3,050 | γı | 65+ | 216 | 18.1 | | \$12,421 | \$225 |
| Psychiatric | | | | | | Chronic Obstru | | | | 912,421 | ŞZZJ |
| Total | 577 | 6.2 | 7.5 | \$7,153 | \$44 | Total | 196 | 2.1 | 4.1 | \$7,458 | \$16 |
| <18 | 135 | 6.0 | 9.4 | \$8,775 | \$52 | <18 | 22 | 1.0 | | | \$10 |
| 18-44 | 327 | 8.4 | 7.1 | | \$52 \$51 | 18-44 | 24 | 0.6 | 2.4 | | \$3 \$3 |
| 45-64 | 67 | 3.3 | 6.2 | | \$24 | 45-64 | 36 | 1.8 | | | \$3 \$14 |
| | 48 | 4.0 | | | \$2 4 \$39 | 65+ | 114 | | | | |
| 65+ | 48 | 4.0 | 7.5 | \$9,747 | \$39 | | 114 | 9.0 | 4.9 | \$8,545 | \$82 |
| Carramanna IIaanah | - Di | | | | | Drug-Related | 20 | 0 1 | 8.5 | ¢C 707 | d a |
| Coronary Heart | | 7 0 | 4 1 | 402 046 | 41.00 | Total | 38 22 | 0.4 | | | \$3 |
| Total | 675 | 7.2 | | \$23,046 | \$166 | 18-44 | 22 | 0.6 | 2.5 | \$2,517 | \$1 |
| 45-64 | 229 | 11.2 | | \$24,047 | \$270 | matal manital | | | | | |
| 65+ | 410 | 34.4 | 4.4 | \$23,026 | \$791 | Total Hospital | | 100 5 | 4 2 | 410 000 | 41 100 |
| | | | | | | Total | • | 109.5 | | \$10,929 | |
| Malignant Neor | | - | | +10 000 | +00 | <18 | 1,703 | 75.2 | 3.1 | | \$391 |
| Total | 396 | 4.2 | | \$18,968 | \$80 | 18-44 | 2,742 | 70.7 | | \$7,521 | \$532 |
| 18-44 | 34 | 0.9 | | \$28,417 | \$25 | 45-64 | 1,873 | 91.8 | | \$13,897 | |
| 45-64 | 141 | 6.9 | | \$16,914 | \$117 | 65+ | 3,950 | 331.0 | 5.5 | \$14,355 | \$4,751 |
| 65+ | 212 | 17.8 | | \$19,126 | \$340 | | | | | | |
| Neoplasms: F | | - | | | - | P | | | | | |
| Total | 37 | 0.8 | 1.9 | \$9,741 | \$8 | Total | 1,254 | 13.4 | | | \$120 |
| Neoplasms: C | | | | | | <18 | 106 | 4.7 | | | \$25 |
| Total | 46 | 0.5 | | \$27,214 | \$13 | 18-44 | 166 | 4.3 | | | \$32 |
| 65+ | 30 | 2.5 | 11.2 | \$30,880 | \$78 | 45-64 | 213 | 10.4 | | | \$97 |
| Neoplasms: I | | | | | | 65+ | 769 | 64.4 | | | \$625 |
| Total | 38 | 0.4 | 5.6 | \$19,161 | \$8 | * Hospitalization ambulatory care of | an reduce | the lik | kelihood | of hospi | talization |
| Diabetes | | | | | | The definition of | | | | tions in | 2000 |
| Total | 95 | 1.0 | | \$13,106 | \$13 | is consistent wi | | | | | |
| 65+ | 32 | 2.7 | 7.5 | \$14,549 | \$39 | Please refer to t 1997 report for 1996 and 1997. | | | | | |